



# LIQUID RHYTHM INTRO

**QuickStart Guide**

Edition 1.1

December 2013

*Liquid Rhythm Quick Start Guide written by*

Haig Beylerian

Saro Migirdicyan

Dave Beckford

*Legal Notices*

This product is subject to the terms and conditions of a software license agreement.

This user manual is copyrighted © 2013 by WaveDNA Inc., (hereafter “WaveDNA”), with all rights reserved. Under copyright laws, this user manual may not be duplicated in whole or in part without the written consent of WaveDNA.

Product features, specifications, system requirements and availability are subject to change without notice.

*Document Feedback*

We are constantly looking for ways to improve our documentation. If you have any comments, corrections or suggestions regarding our documentation, please email us at [info@wavedna.com](mailto:info@wavedna.com)

---

From everyone at WaveDNA, welcome to Liquid Rhythm and thank you for supporting our software. To get started quickly, click **Help > Load Demo Beat** in Liquid Rhythm's menu bar to load a demo beat in Liquid Rhythm (be sure to save any work you already have open).

**Tip:** Please consult the information on this page before reading on. It will help you proceed with clarity.


---

## Introductory Liquid Rhythm Notation Crash-course

These diamonds are notes.

These bars show a note's velocity level.

These shapes are called BeatForms. The notes above them dictate their color and number of subdivisions.



This larger layer is called a BarForm. It consists of groupings of two or three.

## A Color Map of Liquid Rhythm

Use this as a reference if you have difficulty locating any of the panels discussed in this guide.




# Part 1: The Beat Builder

See that panel on the right?  
That's the **Beat Builder**. Click  
any region in the **Arranger** to  
activate it.

Use it to quickly insert one bar rhythm patterns  
into the **Arranger**. Try clicking any pattern in  
the **BarForm List** to swap it into the region(s)  
you have selected in the **Arranger**.


**TIP:** You can right-click any  
pattern on this list and add  
it to the **Favorites** list.

Click **Similar** to show results in the **BarForm  
List** closely related to the region you have  
selected.




The **BeatForm Tumbler** contains a list of potential variations on each beat in the pattern selected in the above **BarForm List**.

When a region(s) is empty, all the tumblers will be greyed as in the image to the right. Click a pattern to activate it, and note how your selections here appear in the region(s) you've selected in the **Arranger**.




**TIP:** Double-click a pattern to deselect it.

By default, the purple (8<sup>th</sup> note), dark and light blue (two 16<sup>th</sup>), and three shades of red (16<sup>th</sup> note triplets) patterns populate this list. Click any to insert it into the pattern above.




Click any of the arrows on the left side of the **BeatForm Tumbler** to quickly assign the adjacent pattern across the entire bar.




# Part 2: Accent Modifiers

The **Accent Modifiers** are located on the far left of the **Molecule Tools** panel.





Use them to make **Velocity** and **Groove** adjustments to multiple notes within multiple regions in the **Arranger** simultaneously. Now, select multiple regions in the arranger by holding **[command]/[ctrl]** and clicking on them.




The vertical sliders affect velocity.

The horizontal sliders affect groove.



Hover your mouse over a slider and notice how *both* the slider and the affected notes in the selected regions turn bright yellow. Use this visual aid to keep track of what notes you're affecting the velocity and/or groove of.

Click-and-drag any handle to resize a slider. Velocity and groove values will be humanized accordingly.



Thank you for working through our Quick Start Guide. If you'd like any more information on the topics covered in this document, please consult the *Liquid Rhythm User Manual*.

-WaveDNA